

This PDF is generated from: <https://www.ledact.co.za/Mon-01-Aug-2022-25115.html>

Title: Industrial Rack IP66 Configuration Solution

Generated on: 2026-04-21 05:30:32

Copyright (C) 2026 LEDACT SOLAR BATTERY. All rights reserved.

For the latest updates and more information, visit our website: <https://www.ledact.co.za>

MaterialBodyDoorSealLockGland PlateSurface TreatmentAccessoriesCertificatesThe robust monoblock body is 1.5mm galvanised steel sheet. Precision automated manufacturing equipment ensures accuracy and consistent high quality. Flat face sealing surfaces increase seal life. A galvanised steel gland plate is also incorporated into the bottom face. See more on [ipenclosures](#)

```
.rcimgcol .cico { background: #f5f5f5; } .b_drk
.rcimgcol .cico, .b_dark .rcimgcol .cico { background: unset; } .b_imgSet .b_hList li.square_m, .b_imgSet
.b_hList li.tall_m { width: 75px; } .b_imgSet .b_hList li.tall_mlb { width: 113px; } .b_imgSet .b_hList
li.tall_mln { width: 96px; } .b_imgSet .b_hList li.wide_m { width: 128px; } .b_imgSet .b_Card .b_hList
li { padding-left: 1px; padding-right: 9px; } .b_imgSet .b_Card .b_hList
li.tall_wfn { width: 80px; padding-right: 6px; } .b_imgSet .b_Card .b_hList
li:last-child { padding-right: 1px; } .b_imgSet .b_Card .b_imgSetData { padding: 0 8px
8px; height: 40px; } .b_imgSet .b_Card .b_imgSetItem { box-shadow: 0 0 0 1px rgba(0,0,0,.05), 0 2px 3px 0
rgba(0,0,0,.1); border-radius: 6px; overflow: hidden; } .b_imgSet .b_imgSetData .p
a { color: #444; outline-offset: 0; } .b_subModule .b_clearfix .b_mhdr .b_floatR .b_moreLink, .b_subModule
.b_clearfix .b_mhdr .b_floatR
.b_moreLink:visited, .b_subModule > .b_moreLink, .b_subModule > .b_moreLink:visited { color: #767676; } .b_img
Set
.cico .b_placeholder { display: flex; justify-content: center; background-color: #f5f5f5; background-clip: content-bo
x; } .b_imgSet .cico .b_placeholder a { display: flex; } .b_imgSet .cico .b_placeholder a
img { width: 48px; height: 48px; margin: auto; } @media (max-width: 1362.9px) { #b_context .b_entityTP .b_imgSet
li:nth-child(5) { display: none; } .b_imgSet .b_hList
li.wide_m:nth-child(3) { display: none; } @media (max-width: 1274.9px) { #b_context .b_entityTP .b_imgSet
li:nth-child(4) { display: none; } .b_imgSet .b_hList li.wide_m:nth-child(2) { display: none; } } .rcimgcol
.b_imgSet { content-visibility: auto; contain-intrinsic-size: 1px
124px; } .rcimgcol { height: 108px; padding-top: var(--smtc-gap-between-content-x-small); padding-bottom: var(--s
mtc-gap-between-content-x-small); } .b_algo:has(.b_agh)
.rcimgcol { padding-top: var(--smtc-gap-between-content-xx-small); } .rcimgcol
.b_imgSet { overflow: hidden; } .rcimgcol .b_imgSet
```

```

ul{overflow-x:auto;overflow-y:hidden;white-space:nowrap;padding-left:0}.rcimgcol .b_imgSet
ul::-webkit-scrollbar{-webkit-appearance:none}.rcimgcol .b_imgSet
.b_hList>li{padding-right:var(--smtc-padding-ctrl-text-side)}.rcimgcol .b_imgSet
.cico{border-radius:unset}.rcimgcol .b_imgSet .b_hList>li:first-child .cico,.rcimgcol .b_imgSet
.b_hList>li:first-child .cico
a{border-radius:unset;border-top-left-radius:var(--mai-smtc-corner-card-default);border-bottom-left-radius:var
(--mai-smtc-corner-card-default);overflow:hidden}.rcimgcol .b_imgSet .b_hList>li:last-child .cico,.rcimgcol
.b_imgSet .b_hList>li:last-child .cico
a{border-radius:unset;border-top-right-radius:var(--mai-smtc-corner-card-default);border-bottom-right-radius:
var(--mai-smtc-corner-card-default);overflow:hidden}.rcimgcol .rcimgcol
.b_sideBleed{margin-left:unset;margin-right:unset}.rcimgcol .b_imgclgovr{cursor:pointer}.rcimgcol
.b_imgclgovr .cico img: hover{transform:scale(1.05);transition:transform .5s ease}#b_content
#b_results>.b_algo
.b_caption:has(.rcimgcol){padding-right:var(--mai-smtc-padding-card-default);margin-right:calc(-1*var(--mai
-smtc-padding-card-default));margin-left:calc(-1*var(--mai-smtc-padding-card-default));padding-left:var(--ma
i-smtc-padding-card-default)}.rcimgcol .b_imgSet .b_hList .cico a{display:flex;outline-offset:-2px}
sightsOverlay,#OverlayIFrame.b_mcOverlay
sightsOverlay{position:fixed;top:5%;left:5%;bottom:5%;right:5%;width:90%;height:90%;border:0;border-rad
ius:15px;margin:0;padding:0;overflow:hidden;z-index:9;display:none}#OverlayMask,#OverlayMask.b_mcOv
erlay{z-index:8;background-color:#000;opacity:.6;position:fixed;top:0;left:0;width:100%;height:100%}.rcimg
col .b_hList>li{position:relative;padding-bottom:0}.rcimgcol .b_hList>li
.iacf_smol{pointer-events:none;border-top-right-radius:var(--mai-smtc-corner-card-default);border-bottom-rig
ht-radius:var(--mai-smtc-corner-card-default);white-space:normal}.rcimgcol .b_hList
.cico{margin-bottom:0}.iacf_smol{display:flex;justify-content:center;align-items:center;gap:var(--smtc-gap-b
etween-content-xx-small);width:100%;height:100%;background:rgba(0,0,0,.6);position:absolute;left:0;top:0;c
olor:var(--mai-smtc-foreground-ctrl-on-image-rest);font:var(--bing-smtc-text-global-body2-strong);flex-wrap:
wrap;align-content:center;text-align:center}.iacf_smol: hover{text-decoration:underline}.iacfmit[data-nohov]
.iacfimgc .cico
img{transform:none}.wr_hlic,.wr_hli{margin-top:4px;color:#767676;display:block}.wr_hlic>.wr_hli,.wr_hli>
*,.wr_hli li{display:inline}.wr_hli+.wr_hli::before{content:"
"}.wr_strike{text-decoration:line-through}
serverrackcabinets 16U Weatherproof Cabinet Enclosure - IP66
Rated - SturdxSee MoreWhether you're looking to safeguard outdoor network equipment or need an industrial
strength solution for your data center, this cabinet ticks all the boxes. The 16U Outdoor Network Cabinet with
AC Unit ...

```

The Racktech IP Series cabinets are IP66 rated and designed to protect sensitive data network equipment. The cabinets are precision built to ensure a consistent ...

With our flexible system solutions, you will find the perfect rack for your individual requirements, covering all network applications, large and small. Workstation ...



Industrial Rack IP66 Configuration Solution

High-protection stainless steel rack enclosure certified to IP66/NEMA 4X for washdown and hygienic processing areas. Smooth interior surfaces and sanitary latches reduce contamination risk.

IP Enclosures" IP66 wall-mounted 19" data racks are purpose-built for compact, secure housing of sensitive network and rack-mounted control equipment in ...

The Deckro Encase IP66 Outdoor Cabinets are designed to offer superior protection and durability for industrial applications, particularly in challenging outdoor environments.

Call, click or chat with our in-house team for a fast quote or help designing a custom rack solution. From cage nuts, to data center design, we do it all at Rackmount Solutions.

Enclosures are fabricated out of Galvanized/CRCA Steel, CNC programmed, punched, bent, welded and Powder coated with highest quality standards as per the required Outdoor Standards.

Web: <https://www.ledact.co.za>

