



Swiss double-glass solar module parameters

This PDF is generated from: <https://www.ledact.co.za/Sun-11-Aug-2024-13564.html>

Title: Swiss double-glass solar module parameters

Generated on: 2026-06-03 14:59:37

Copyright (C) 2026 LEDACT SOLAR BATTERY. All rights reserved.

For the latest updates and more information, visit our website: <https://www.ledact.co.za>

Double-glass modules have increased resistance to cell micro-cracking, potential induced degradation, module warping, degradation from UV rays, and sand abrasion, as well as alkali, acids or salt mist.

605W~630W Key Features High Efficiency Leading module efficiency in industry, up to 23.3%

A simulation model of finite differences based on an electrical analogy and describing a double-glass multi-crystalline photovoltaic module has been developed and validated utilizing ...

While double glass modules offer numerous benefits, it's essential to consider factors such as weight and installation ...

Uniformity appearance, aesthetic reliable. Less hot spot heating risk, make the module more efficiency.

Version number:DAS-2023.11.02.V01 All data contained in this datasheet is subject to change without notice. The right of final interpretation belongs to DAS Solar.

Compared to traditional glass-backsheet modules, they offer greater durability and environmental resistance. The dual-glass structure provides ...

Discover durable glass-glass solar modules with a service life of over 50 years, high efficiency and versatile application options.

Electrical Parameters (STC*) Module Type: SE6R-66HBD Maximum Power (Pmax/W) Open Circuit Voltage (Voc/V) Short Circuit Current (Isc/A)

Web: <https://www.ledact.co.za>



Swiss double-glass solar module parameters

